

## NEW MANFROTTO FRICTION ARMS AND ADAPTERS

Manfrotto offers a full range of arms that help the photographer and videographer to experiment new solutions by allowing to safely hold the equipment in place. The product family consists of arms of different sizes, provided with many different attachments, thus being extremely flexible tools. Manfrotto friction arms are compatible with every camera and generally with most of the accessories in the market; combining the arms with other manfrotto accessories guarantees the ultimate performance. **The friction arms feature a 5 years warranty upon registration on website.**

### KEY FEATURES AND BENEFITS

- **Multiple interchangeable adapters available:** in the new Manfrotto friction arms, the attachment on top of each end can be replaced with a different adapter, select among one of the following options: 3/8", 1/4", 3/8" with anti rotation system, 5/8", and hot-shoe. Changing the adapters is very easy: unscrew the adapter and replace with the desired one, using the provided hex key. One extra adapter is already included in the packaging of 244Mini, 244Micro and 244Micro-AR. As a result of the various kits, the user can expand the range of possible applications.
- **New Anti-rotation system:** Manfrotto introduces an innovative anti-rotation system to prevent the load rotating when the arm is attached to a tripod or to a bar through a clamp. This feature is available to use Manfrotto friction arms in combination with Manfrotto Nano Clamp 386B-1 and with the "Easy Link" connection of Manfrotto 190 series and Manfrotto 055 series. As a result of the unique shape of the anti-rotation adapter, the metal ring, the arm, the equipment and the support or clamp are interlocked. In this way, the arm and the equipment attached to it will no longer rotate anymore.

**Note:** The anti-rotation adapter is available on the **244Micro-AR** arm and on the **244MicroKit**, or as single article **244ADPT38AR**, to be used in combination with 244mini, 244micro.

- **High quality aluminum and made in Italy:** all items are made of **aluminum** to offer high payload and great robustness. All models are **designed and made in Italy**, in accordance with to strict quality standards.



# NEW MANFROTTO FRICTION ARMS AND ADAPTERS

## FRICTION ARMS PRODUCT SPECIFICATIONS



### 244MINI

24cm arm with 1/4" attachments on both ends and extra 3/8" included



### 244MICRO

15cm arm with 1/4" attachments on both ends and extra 3/8" included



### 244MICRO-AR

15cm arm with 3/8" anti-rotation attachments on both ends and extra 3/8" included



### 244MICROKIT

15cm arm with 1/4" and 3/8" Anti-rotation and Nano Clamp 3861-B included

PRODUCT CODE	PRODUCT DESCRIPTION	EAN CODE	UPC CODE
<b>244Mini</b>	244Mini Friction Arm	8024221635959	719821378709
<b>244Micro</b>	244Micro Friction Arm	8024221635973	719821378723
<b>244Micro-AR</b>	244Micro Friction Arm with Anti-rotation	8024221635966	719821378716
<b>244MicroKit</b>	244Micro Friction Arm Kit with Nano Clamp	8024221635980	719821378730

PRODUCT CODE				MAX LENGTH	LIST OF COMPATIBLE ADAPTERS
244Mini	0,44 kg 0.97 lbs	3 kg 6.61 lbs*	1/4" on both ends and extra 3/8" included	24 cm 9.4 in	244ADAP58 244ADAPT38AR 244ADAPT3814 244ADAPT-HS
244Micro	0,2 kg 0.44 lbs		1/4" on both ends and extra 3/8" included	15 cm 5.9 in	
244Micro-AR	0,24 kg 0.53 lbs		3/8" anti-rotation on both ends and extra 3/8" included		
244MicroKit	0,34 kg 0.66 lbs		1/4" and 3/8" anti-rotation		

\*Maximum payload is not guaranteed beyond the standard length of the lever arm.

# NEW MANFROTTO FRICTION ARMS AND ADAPTERS

## MASTER CARTON AND BLISTER DIMENSIONS

PRODUCT	BLISTER DIMENSIONS (Height x Length x Width)	MASTER CARTON QUANTITY	MASTER CARTON VOLUME	MASTER CARTON DIMENSIONS (Height x Length x Width)	MASTER CARTON WEIGHT
<b>244Mini</b>	23 x 14 x 4 cm 9.1 x 5.5 x 1.6 in	10	0,0112 mc	27 x 21 x 21 cm 10.6 x 8.3 x 8.3 in	5,5 kg 12.1 lbs
<b>244Micro</b>	23 x 14 x 3,5 cm 9.1 x 5.5 x 1.3 in	10			3,1 kg 6.83 lbs
<b>244Micro-AR</b>		8			3,3 kg 7.26 lbs
<b>244MicroKit</b>					

## ADAPTERS PRODUCT RANGE

The new Manfrotto friction arms allow the attachment on top of each end to be replaced with a different adapter. The following kits of adapters are available.



**244ADPT58**

5/8" spigot  
adapter



**244ADPT38AR**

3/8" thread  
with Anti-rotation



**244ADPT3814**

1/4" and 3/8"  
adapter



**244ADPT-HS**

Hot-shoe  
adapter

**Note:** the kits of adapters do not work with the following friction arms: 244 and 244N.

# NEW MANFROTTO FRICTION ARMS AND ADAPTERS

## ADAPTERS PRODUCT SPECIFICATIONS

PRODUCT CODE	PRODUCT DESCRIPTION	EAN CODE	UPC CODE
<b>244ADPT58</b>	5/8" spigot adapter	8024221636017	719821378761
<b>244ADPT38AR</b>	3/8" thread with Anti-rotation	8024221635997	719821378747
<b>244ADPT3814</b>	1/4" and 3/8" adapter	8024221636000	719821378754
<b>244ADPT-HS</b>	Hot-shoe adapter	8024221636024	719821378778

## MASTER CARTON AND BLISTER DIMENSIONS

PRODUCT	BLISTER DIMENSIONS (Height x Length x Width)	MASTER CARTON QUANTITY	MASTER CARTON VOLUME	MASTER CARTON DIMENSIONS (Height x Length x Width)	MASTER CARTON WEIGHT
<b>244ADAP58</b>	12 x 7,7 x 4 cm 4.7 x 3.03 x 1.6 in	20	0,0004 mc	20 x 15 x 35 cm 7.8 x 5.9 x 13.7 in	2,1 kg 4.6 lbs
<b>244ADAPT38AR</b>					1,4 kg 3.08 lbs
<b>244ADAPT3814</b>					2,1 kg 4.6 lbs
<b>244ADAPT-HS</b>					1,2 kg 2.64 lbs